

WAKELY ASSOCIATES, INC.  
ARCHITECTS  
30500 Van Dyke Avenue-Suite 209  
Warren, Michigan 48093

ADDENDUM NO. TWO  
WARREN WOODS PUBLIC SCHOOLS  
2017 BOND ISSUE RENOVATIONS-BP#13  
Page 1 of 1 (write up only)

June 8, 2020

ADDENDUM NO. TWO to the plans and specifications for the WARREN WOODS PUBLIC SCHOOLS, 2017 BOND ISSUE, BID PACK #13-REBID, Warren, MI, Architect's Project No. 171755N, dated May 26, 2020.

The above plans and specifications are modified, supplemented or augmented as follows, and this ADDENDUM NO. TWO, is hereby made a part of the contract documents.

**No Drawings are being issued with this Addendum.**

**GENERAL ITEMS:**

**ITEM NO. 1:**           **For replacement of damaged ceiling tiles, please refer to the drawings for the size. The existing ceiling tiles vary from building to building. Please provide the following (or approved similar by owner): Item 816, Cortega by Armstrong, mineral fiber units not less than 5/8" thick, NRC 0.07, CAC 35, light reflectance 75%, square edge. The damaged ceiling tiles being replaced should be 5% for all the buildings.**

**END OF ADDENDUM NO. 2**

Cc:   Matt Dishman, Warren Woods Public Schools  
      Neil Cassabon, Warren Woods Public Schools  
      Stacey Denewith-Fici, Warren Woods Public Schools  
      Scott Peck, Peter Basso Associates